



Septic Detective




Jeff Rachlin / Frank Parker

We need to think outside the box!
What did we think in 1492?




Overview – How Do They Work



- Raw sewage leaves the house and enters a treatment tank
- Effluent leaves the treatment tank and enters an absorption area
- Effluent is purified prior to reaching the water table

- How the pieces fit together.




What happens when things go
wrong?

Control Panel











11/11/2022

10











1 L1

3 L2

5 L3

EATON

110V50Hz / 120V60Hz

3510

XTCE018C10

2 T1


4 T2

6 T3

A1

A2

...10







VANGUARD 
ASSEMBLED IN MEXICO E348072
24-149MFD 220/250VAC
50-60HZ
LOT 61855966 04/07/2003







11/11/2022





200K


Packard Inc
PTMJ161
161-193 MFD
220-250 Volt
65°C 50/60Hz
Model No. CDeo
e  UL vs E232134
Made in China












UL FILE No. E55826
SP-0339



CONTACTS
10 AMPS @ 240 VAC
RESISTIVE

1012































































RING COMPRESSOR
SOUFFLERIE À RÉGÉNÉRATION
COMPRESOR DE ANILLO

FUJI
ELECTRIC

LR48762




MODEL / MODÈLE / MODELO VFC200P-5T
 1PHASE / MONOPHASEÉ / MONOFASICO
 2POLES / PÔLES / POLOS 50 / 60 Hz

VOLTS / VOLTS / VOLTIOS	115	230
OUTPUT HP / CV EN SORTIE/HP DE SAUDA	.37	.37
MAX. / MAXI. / MAX. AMPS	3.6	1.8
MAX. / MAXI. / MAX. "H ₂ O	34	34
MAX. / MAXI. / MAX. CFM	42	42

CONNECTION DIAGRAM
 DIAGRAMME DE CÂBLAGE
 DIAGRAMA DE CONEXIONES

HIGH VOLTAGE LOW VOLTAGE
 HAUT VOLTAGE BAS VOLTAGE
 ALTO VOLTAJE BAJO VOLTAJE



SER NO./NO.SÉRIE/NO.DE SERIE 0501J774802 098

Fuji Electric Co. Ltd

Tokyo Japan
 Made in Taiwan

THERMALLY PROTECTED
 AVEC PROTECTION THERMOUE
 PROTEGIDO TERMICAMENTE

AS549969-1







AdvanTex Treatment System




- Recirculates the wastewater.
- Biological treatment on vertical geotextile media.
- Reduces nitrogen content in effluent.









1" SCH 40 RIGID PVC CONDUIT 90°C MAX WIRE SUNLIGHT RESISTANT

3308-96-0665
-377-766-6665



































































































**Thank
You!**